

OFFICE OF NAVAL RESEARCH

GRANT or CONTRACT: N00014-97-1-0834

PR Number: 00PR03622-00

Technical Report #91

**Photoinduced Crosslinking of Distyrylbenzene Containing Blockcopolymers  
for Manufacture of New Photoalignment Layers**

by

Veronika Strehmel, Burkhard Stiller, Bernd Strehmel, Ananda Sarker, Douglas C. Neckers

*Polymer Preprints*, 2001, 2, 749.

D. C. Neckers  
Center for Photochemical Sciences  
Department of Chemistry  
Bowling Green State University  
Bowling Green, OH 43403

Date Submitted:

August 23, 2001

Reproduction in whole, or in part, is permitted for any purpose of the United States Government

This document has been approved for public release and sale, its distribution is unlimited.

REPRODUCED FROM  
BEST AVAILABLE COPY

20010828 073

<b>REPORT DOCUMENTATION PAGE</b>			<i>Form Approved</i> <b>OMB No. 0704-0188</b>	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, D.C. 20503.				
<b>1. AGENCY USE ONLY (Leave Blank)</b>		<b>2. Report Date</b> 08/23/01		<b>3. REPORT TYPE AND DATES COVERED</b> Technical Report
<b>4. TITLE AND SUBTITLE</b> "Photoinduced Crosslinking of Distyrylbenzene Containing Blockcopolymers for Manufacture of New Photoalignment Layers"			<b>5. FUNDING NUMBERS</b> Grant#: N00014-97-1-0834 PR#: 00PR03622-00	
<b>6. AUTHOR(S)</b>  Veronika Strehmel, Burkhard Stiller, Bernd Strehmel, Ananda Sarker, Douglas C. Neckers				
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESSES(S)</b> Center for Photochemical Sciences Bowling Green State University Bowling Green, OH 43403			<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b>  91	
<b>9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESSES(S)</b> Department of the Navy Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000			<b>10. SPONSORING/MONITORING AGENCY REPORT NUMBER</b>	
<b>11. SUPPLEMENTARY NOTES</b>				
<b>12a. DISTRIBUTION/AVAILABILITY STATEMENT</b> Reproduction in whole or in part is permitted for any purpose of the United States Government. This document has been approved for public release and sale; its distribution is unlimited.			<b>12b. DISTRIBUTION CODE</b>	
<b>13. ABSTRACT (Maximum 200 words)</b> <ul style="list-style-type: none"> <li>• Photooriented polymer films have received increased interest for the alignment of liquid crystals [1,2]</li> <li>• Photoalignment layers obtained by photochemical reactions reduce the disadvantages, i.e. dust formation and static electricity build up during the rubbing process, of commercially used rubbed polyimide films.</li> <li>• Particularly surface effects are crucial for the alignment of liquid crystals controlled by photoactive polymeric films.</li> <li>• Azobenzene, coumarin and cinnamate containing polymers have been already investigated in detail</li> <li>• In the case of azobenzene chromophore containing polymers <i>trans-cis</i> photoisomerization is significant for photoorientation</li> <li>• Crosslinked polymer films oriented by irradiation of main chain polymers with linearly polarized light possess an increased stability in comparison with non-crosslinked polymer films</li> <li>• The polymers investigated in this work are main chain polymers, which contain the distyrylbenzene chromophore and a flexible aliphatic chain</li> <li>• <i>Trans-cis</i> photoisomerization and [2+2] photocycloaddition can competitively occur during irradiation of the photochromic main chain polymers even in the glassy state</li> <li>• The new fluorine containing photoactive polymers 1 and 2, which contain the distyrylbenzene chromophore within the main chain, have been investigated in comparison with the photoactive polymer 3, which possesses a similar chemical structure</li> <li>• The capability of the photoalignment layer in order to align a liquid crystal was investigated as a function of both surface topography and photoinduced dichroism of the photoalignment layer</li> </ul>				
<b>14. SUBJECT TERMS</b>			<b>15. NUMBER OF PAGES</b> 2	
			<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> Unclassified	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b> Unclassified	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b> Unclassified	<b>20. LIMITATION OF ABSTRACT</b> UL	

# Photoinduced Crosslinking of Distyrylbenzene Containing Blockcopolymers for Manufacture of New Photoalignment Layers

Veronika Strehmel<sup>a\*</sup>, Burkhard Stiller<sup>b</sup>, Bernd Strehmel<sup>c</sup>, Ananda M. Sarker<sup>d</sup>, Douglas C. Neckers<sup>e</sup>

<sup>a</sup>Fraunhofer Institute for Applied Polymer Research, Erieseering 42, D-10319 Berlin, Germany,

<sup>b</sup>Institute of Physics, University of Potsdam, Am Neuen Palais, D-14415 Potsdam, Germany

<sup>c</sup>Institute of Physical Chemistry and Theoretical Chemistry, University of Potsdam, Karl-Liebknecht Str. 24/25, D-14476 Golm, Germany

<sup>d</sup>Department of Polymer Science and Engineering, University of Massachusetts at Amherst, Amherst, MA 01003-4510, USA


<sup>e</sup>Center for Photochemical Sciences, Bowling Green State University, Bowling Green, OH 43403, USA

\*present address, University of Potsdam, Institute of Physical and Theoretical Chemistry, Karl-Liebknecht Str. 24/25, D-14476 Golm, Germany

## Introduction

- Photooriented polymer films have received increased interest for the alignment of liquid crystals [1,2]
- Photoalignment layers obtained by photochemical reactions reduce the disadvantages, i.e. dust formation and static electricity build up during the rubbing process, of commercially used rubbed polyimide films.
- Particularly surface effects are crucial for the alignment of liquid crystals controlled by photoactive polymeric films.
- Azobenzene, coumarin and cinnamate containing polymers have been already investigated in detail
- In the case of azobenzene chromophore containing polymers *trans-cis* photoisomerization is significant for photoorientation
- Crosslinked polymer films oriented by irradiation of main chain polymers with linearly polarized light possess an increased stability in comparison with non-crosslinked polymer films
- The polymers investigated in this work are main chain polymers, which contain the distyrylbenzene chromophore and a flexible aliphatic chain
- Trans-cis* photoisomerization and [2+2] photocycloaddition can competitively occur during irradiation of the photochromic main chain polymers even in the glassy state
- The new fluorine containing photoactive polymers 1 and 2, which contain the distyrylbenzene chromophore within the main chain, have been investigated in comparison with the photoactive polymer 3, which possesses a similar chemical structure
- The capability of the photoalignment layer in order to align a liquid crystal was investigated as a function of both surface topography and photoinduced dichroism of the photoalignment layer

## Materials [3,4]



## Methods

Linearly polarized light (mercury lamp, 365 nm interference filter) was used for irradiation experiments

UV spectra: Perkin Elmer  $\lambda 2$  and a diode-array spectrometer (Polytec XDAP V2.3)


The latter was taken for anisotropy measurements (dichroism =  $(E_{11} - E_{22}) / (E_{11} + E_{22})$ )

AFM-technique (AUTOPROBE CP, Park Scientific) was employed for characterization of film surfaces

Polarized FTIR measurements were carried out for determination of the dichroism of the liquid crystal (CN stretching vibration at 2225  $\text{cm}^{-1}$ )

liquid crystal ZLI 2293 (donated by MERCK)

## Quantum Yields for Photoreaction




fluorine containing polymers possess a higher photoreactivity

polymer 3, which does not contain any fluorine, shows a minor tendency for photoreaction in both solution and film

lower quantum yields in the films are caused by the decreased mobility in the matrix

lower quantum yields in solution of polymer 1 in comparison with polymer 2 can be discussed by formation of ICT (solvent dependent emission) as a competitive process

## Photochemical Pathways [5]




2+2 photocycloaddition and *trans-cis* photoisomerization competitively occur

$\pi$ -stacking between fluorinated and non-fluorine containing aromatic groups prealigns the chromophore for 2+2 photocycloaddition

size of the quadrupolar moment controls the strength of  $\pi$ -stacking

## Irradiation of the Films with Linearly Polarized Light

( $\lambda_{\text{irr}} = 365 \text{ nm}$ ,  $P_{\text{irr}} = 4-5 \text{ mW/cm}^2$ )



Spectral changes of polymer 1 show hypsochromic shift of the maximum due to the formation of a photoproduct


Spectra go through an isosbestic point

*trans-cis* Photoisomerization can be discussed as the main reaction occurring at the beginning of the irradiation process

At longer irradiation times, the spectra no longer went through an isosbestic point

Photobleaching is observed at prolonged irradiation times

The absorption maximum remains constant in the case of [2+2] photocycloaddition and only the absorption reduces




Spectral changes of polymer 2 show no hypsochromic shift of the maximum due to photobleaching

Spectra do not go through an isosbestic point

[2+2] photocycloaddition can be discussed as the main reaction occurring during the entire irradiation process

The absorption maximum remains constant and only the absorption reduces during the entire irradiation process



In analogy to polymer 1, the spectral changes of polymer 3 show hypsochromic shift of the maximum


Spectra go through an isosbestic point (red colored spectra)

As discussed in case of polymer 1, *trans-cis* photoisomerization is the main reaction occurring at the beginning of the irradiation process

At longer irradiation times, the spectra no longer went through an isosbestic point as similarly shown for polymer 1

Photobleaching (blue colored spectra) is observed at prolonged irradiation times

# Extinction Differences (ED) Diagrams and Photoinduced Dichroism in Dependence on ED




The extinction differences diagram of polymer 1 shows two main photoprocesses

We assign the first reaction to photoisomerization and the latter to photobleaching

No dichroism is obtained if the *trans-cis* isomerization reaction occurs

Significant increase in dichroism and the formation of a crosslinked anisotropic film is observed if photobleaching occurs as the main photoreaction




Only photobleaching occurs during irradiation of polymer 2

The extinction differences indicate the occurrence of a single photoprocess

The dichroism continuously increases with prolonged irradiation

This result clearly indicates the importance of photobleaching reactions for manufacturing of an anisotropic polymer network

[2+2] photocycloaddition mainly contributes to dichroism after irradiation



The extinction differences diagram of polymer 3 shows two main photoprocesses similarly to polymer 1


Increase in dichroism is lower in comparison with polymer 1

[2+2] Photocycloaddition contributes to dichroism after irradiation

*trans-cis* Photoisomerization is of minor importance in case of the main chain polymers 1-3 although that photoreaction dominates for azobenzenes


## Surface Topography

Surface Roughness (RMS<sub>10μm</sub>) Change of Polymer 1




Irradiation with linearly polarized light results in a significant increase of surface roughness

Surface Roughness (RMS<sub>10μm</sub>) Change of Polymer 2



Irradiation with linearly polarized light results in a tremendous increase of surface roughness



Surface Roughness (RMS<sub>10μm</sub>) Change of Polymer 3



The nonirradiated film contains an adsorbate layer  
Irradiation with linearly polarized light does not increase surface roughness

## Alignment of a Liquid Crystal by Using the Photoalignment Layers Based on the Polymers 1-3

### LC Device




The dichroism of the oriented liquid crystal is considerably higher in comparison with the photoalignment layer used for its orientation

The largest dichroism was found for the anisotropic polymer network based on polymer 2

The dichroism of the liquid crystal, which was aligned by the anisotropic polymer network based on polymer 2, is comparable with that of a commercial cell made of a rubbed polyimide film

Anisotropic networks based on both fluorine containing polymers 1 and 2 result in a higher dichroism of the liquid crystal in comparison with the anisotropic network based on polymer 3 that contains no fluorine

A system with [2+2] photocycloaddition (polymer 2) possesses the best capability to orient the liquid crystal



The integral of the CN-stretching vibration plotted as a function of the rotation angle shows a minimum at 90° rotation angle for the sample irradiated with 0° polarizer position during irradiation with linearly polarized light

A maximum for the integral of the CN-stretching vibration was obtained at the same rotation angle if a perpendicular polarizer position (90°) was taken for the irradiation process

## Advantages of Our Photoalignment Layers

- [2+2] photocycloaddition results in an insoluble crosslinked material that does not lose its dichroism upon heating at elevated temperatures
- Absorption hypsochromically shifts into the ultraviolet spectral region
- Nearly colorless irradiated materials were obtained after irradiation
- Satisfied thermostability of the anisotropic network structure
- Satisfied adhesion of the anisotropic polymer networks on modified glass substrates
- Increased photoreactivity because of fluorine substitution
- Use of polymer 2 for photoalignment layer manufacture results in an alignment of the LC, which is comparable with that of a commercial cell made of a rubbed polyimide film
- Easy manufacture of the polymer films by spin coating
- No dust problems

## Acknowledgement

The authors in Germany gratefully acknowledge MERCK for the liquid crystal mixture ZLI-2293 and the Deutsche Forschungsgemeinschaft for financial support. The work at Bowling Green was supported by the National Science Foundation (DMR-9526755), and the Office of Naval Research (Navy N00014-97-1-0834).

## References

- Ichimura, K. *Chem. Rev.* 2000, 100, 1847.
- Ichimura, K. "Photochromic Polymers" in *Organic Photochromic and Thermochromic Compounds*, Eds. J.C. Crano, R. Gugliemetti, Kluwer Academic/Plenum Publishers, New York, 2 (1999) 9-63.
- Sarker, A. M.; Strehmel, B.; Neckers, D. C. *Macromolecules* 1999, 32, 7409.
- Yang, Z.; Sokolik, I.; Karasz, F.E. *Macromolecules* 1993, 26, 1188.
- Strehmel, B.; Sarker, A. M.; Malpert, J. H.; Strehmel, V.; Seifert, H.; Neckers, D. C. *J. Amer. Chem. Soc.* 1999, 121, 1226.